

**BLUE BIRD AUREO350 ANA/BOV COCCI  
TYPE C Cattle Complete Feed  
Medicated**

For the control of coccidiosis caused by *Eimeria bovis* and *Eimeria zuernii* and for control of active infection of anaplasmosis caused by *Anaplasma marginale* susceptible to chlortetracycline in beef cattle under 700 pounds.

**Active Drug Ingredients\***

Chlortetracycline .....25 to 2800 g/ton  
Lasalocid .....30 to 181.8 g/ton

**Guaranteed Analysis**

Crude protein, not less than ..... %  
(This includes not more than \_\_\_% equivalent crude protein from non-protein nitrogen)<sup>1</sup>  
Crude fat, not less than ..... %  
Crude fiber, not more than ..... %  
Calcium, not less than ..... %  
Calcium, not more than ..... %  
Phosphorus, not less than ..... %  
Potassium, not less than ..... %  
Salt<sup>1</sup>, not less than ..... %  
Salt<sup>1</sup>, not more than ..... %  
Sodium<sup>2</sup>, not less than ..... %  
Sodium<sup>2</sup>, not more than ..... %  
Vitamin A<sup>1</sup>, not less than ..... IU/lb

<sup>1</sup>If added

<sup>2</sup>Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

**Ingredients**

Each ingredient must be specifically named in accordance with the names and definitions approved by AAFCO.

**Feeding Directions**

Hand feed continuously at a rate of 350 mg chlortetracycline per head and 1 mg lasalocid per 2.2 lb. body weight daily to cattle with a maximum of 360 mg of lasalocid per head per day. The following table provides examples of feeding rates and amounts:

Body Wt. Lb.	Feed Consumption		Chlortetracycline		Lasalocid	
	% Body Wt.	lb./head/day	Amount mg/head/day	Feeding Rate g/ton	Amount mg/head/day	Feeding Rate g/ton
200	0.5	1	350	700	90.9	181.8
	1	2	350	350	90.9	90.9
	2	4	350	175	90.9	45.5
500	2	10	350	70	227.3	45.5
	2.5	12.5	350	56	227.3	36.4
700	2	14	350	50	318.2	45.5
	3	21	350	33.3	318.2	30.3

**Warning**

A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal.

**Caution**

Safety of lasalocid in unapproved species has not been established. Do not allow horses or other equines access to feeds containing lasalocid.

**NET WEIGHT ON BAG OR BULK**

Blue Bird Feed Mill  
Robin, IN 12345

\*Final printed label on this medicated feed must bear a single concentration for each drug.